



State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095
(603) 271-3644 FAX (603) 271-2181



October 23, 2002

Irving Oil Corp.
Gerry Lemire
PO Box 401
Bangor, Maine 04402

**NOTICE OF NON-COMPLIANCE and
PERMIT REVOCATION – NCPR #02-003**

RE: CONCORD. PLEASANT STREET IRVING, EXISTING UNDERGROUND
STORAGE TANK FACILITY (UST #0111238) (DES #198708023)

Dear Mr. Lemire:

The New Hampshire Department of Environmental Services (“DES”) is hereby notifying you that the above-referenced facility, located at 190 Pleasant Street in Concord, NH is not in compliance with New Hampshire Code of Administrative Rules Env-Wm 1401, regulating Underground Storage Facilities. **Failure to achieve compliance with the following three (3) deficiencies within 90 days from the date of this Notice of Non-Compliance and Permit Revocation (“Notice”) will result in revocation of your Permit-to-Operate on January 22, 2003. This letter contains important compliance and procedural information. Please read it carefully.**

1 Env-Wm 1401.11 Inventory Monitoring

Env-Wm 1401.11 requires that inventory monitoring be conducted and inventory records be maintained on motor fuel, hazardous substance and bulk heating oil systems without secondary containment and leak monitoring for both tank and piping. DES has determined that the product level was not being measured and recorded in gallons before and after delivery.

2 Env-Wm 1401.26 and Env-Wm 1401.31 Tank Monitoring System

Env-Wm 1401.26 and Env-Wm 1401.31 requires a leak monitor for double wall tank systems to continuously operate. The leak monitoring equipment and devices shall be tested annually for proper operation in accordance with manufacturer's requirements. DES has determined that the leak monitor for the tank system listed was not continuously performing, water was detected in the interstitial space.

3 Env-Wm 1401.27 and 1401.31 Piping Monitor System

Env-Wm 1401.27 and 1401.31 requires leak monitoring for piping be installed and continuously operate. DES has determined that the piping sumps were full of water and the sensors were placed above the water level.

In addition, Env-Wm 1401.10(a) requires owners of underground storage facilities for oil to maintain financial responsibility for cost associated with cleanup of releases from systems, the implementation of corrective measures, and compensation for third party damages in the amount equal to or greater than \$1,000,000 per occurrence. Env-Wm 1401.10(c) provides that the financial responsibility requirement may be satisfied if the owner is eligible for reimbursement of costs associated with cleanup of releases from the Oil Discharge and Disposal Cleanup Fund ("the Fund"). Eligibility for the Fund is contingent upon compliance with statutory (RSA 146-C) and regulatory (Env-Wm 1401) requirements. This facility is not in compliance, consequently, the Fund is not available to you as a financial responsibility mechanism. Absent an alternative mechanism, such as private insurance, you are not in compliance with Env-Wm 1401.10(a). You must provide DES with evidence of financial responsibility in the amount of \$1,000,000 within ninety (90) days from the date of this letter.

In accordance with Env-Wm 1401.07(a), no person shall operate an underground storage facility without a permit issued by DES. Within 30 days from the date of permit revocation the facility shall be closed in accordance with either Env-Wm 1401.17 for temporary closure, or Env-Wm 1401.18 for permanent closure.

Based on the compliance deficiencies described above, DES believes this facility poses a potential substantial threat to the surface and groundwater of the state. Therefore, in accordance with RSA 146-C:4 and Env-Wm 1401.09, if compliance as requested above is not achieved within ninety (90) days of the date of this Notice your Permit-to-Operate (UST Permit #0111238) shall be revoked effective **January 22, 2003**. Within thirty (30) days of the date of permit revocation all regulated substances must be removed from the UST systems at this facility. If the facility achieves compliance during the ninety (90) day period, it is necessary that documentation be submitted to DES verifying that compliance has been attained.

You have the right to a hearing to contest these allegations before the proposed license action is taken. The hearing would be a formal adjudicative proceeding pursuant to RSA 541-A:31, at which you and any witnesses you may call would have the opportunity to present testimony and evidence as to why the proposed action should not be taken. All testimony at the hearing would be under oath and would be subject to cross-examination. If you wish to have a hearing, one will be scheduled promptly.

RSA 541-A:31 III(e) provides that you have the right to have an attorney present to represent yourself at your own expense. If the Permit is an occupational license, under RSA 541-A:31, III(f) you have the right to request DES to provide a certified shorthand court reporter at your own expense. **Such request must be submitted in writing at least 10 days prior to the proceeding.**

You may waive your right to a hearing. If you waive the hearing, DES is prepared to proceed with the actions as stated above. You should notify DES of your decision by filling out and returning the enclosed form.

NOTICE OF NON-COMPLIANCE and PERMIT REVOCATION - NCPR #02-003

October 23, 2002

Page 3 of 4

If there are any questions concerning the above, you may contact undersigned, at the Waste Management Division at (603) 271-1165.

Sincerely,


COPY

Lynn A. Woodard, P.E.

Supervisor

Oil Compliance and Initial Response Section

CERTIFIED MAIL # 7099 3400 0018 1299 0916

cc: George Dana Bisbee, Acting Commissioner

Mark Harbaugh, DES Legal Unit

Fred McGarry, P.E., Chief Engineer, WMD

George Lombardo, P.E., WMD

Tom Beaulieu, WMD

Health Officer, City of Concord